





valken.

Valken Sports was founded in 2008, headquartered in Swedesboro, New Jersey.

We strive to provide you with everything you need to enjoy and experience Airsoft to the fullest. From your apparel, protection, airsoft gun,

all the way to your BB's, we take pride in the quality and reliability of everything we make!

Never have the disadvantage, use Valken.

NEW JERSEY I HAWK CT.

SWEDESBORO, NJ 08085

ARKANSAS

2505 SOUTH THOMPSON SUITE# W-6 SPRINGDALE, AR 72762

CANADA - ON

95 BESSEMER ROAD UNIT 6 LONDON, ON N6E IP9

COLORADO

5017 N. 30TH ST. COLORADO SPRINGS, CO 80919

EUROPE

SCHUTTEVAERWEG 98 3044 BB ROTTERDAM THE NETHERLANDS

CANADA - OC

5345 ALBERT MILLICHAMP. UNIT I. VILLE SAINT HUBERT, QUEBEC. J3Y 8Z8

CALIFORNIA

8333 ARJONS DR. SUITE B SAN DIEGO, CA 92126

UNITED KINGDOM

UNIT 3 LANCASTER WAY
EARLS COLNE BUSINESS PARK
EARLS COLNE, ESSEX, CO6 2NS

VALKEN.COM

(866) 978-2553

PG. 4	AR-I
PG. 5	SHOTGUNS
PG. 6	ASL RIFLES
PG. 10	ALLOY RIFLES
PG. 15	VI2
PG. 17	PISTOLS
PG. 20	AIRSOFT BBS
PG. 22	THUNDER VS
PG. 23	PROPELLANT
PG. 26	RIFLE MAGAZINES
PG. 28	MAGAZINE POUCHE
PG. 31	CYTAC HOLSTERS
PG. 32	STOCKS
PG. 33	TACTICAL APPAREL
PG. 36	VESTS
PG. 43	EYE PROTECTION

	PG. 49	FACE PROTECTION
	PG. 54	HELMETS
	PG. 55	MASKS
	PG. 58	HEADWEAR
	PG. 60	SHEMAGHS
	PG. 61	EAR PROTECTION
	PG. 63	PADDING
	PG. 65	GLOVES
	PG. 69	GUN BAGS
	PG. 72	ENERGY
	PG. 76	OPTICS
	PG. 85	ATTACHMENTS
	PG. 87	GRIPS
	PG. 88	SLINGS
	PG. 89	ACCESSORIES
<i>''''</i>		

PG. 92 GOTCHA









WHATEVER IT TAKES.

// 5











- Aluminum Alloy receiver "Matte Black"
- Free floating metal CNC 7" rail
- HDP* 6 position crane stock

ALLOY SERIES

- HDP* flip up dual profile front & rear sight
- 6" metal outer barrel 14mm CCW "left hand" thread
- 2.5" Metal Compensator
- Metal Mil-Spec buffer tube
- Metal rear sling mount
- Vented motor plate
- FPS 350-370 w/.20g Valken Precision BB
- *High Density Polymer

- 1 year bulletproof warranty*
- Compatible with 8.4v/9.6v NiMh and 7.4v LiPo
- High end performance
- Includes (1) Valken Tactical 350rd metal hi-cap flash mag, instruction manual, allen key, and (1) un-

- jamming/cleaning rod
- - Reinforced tappet plate

High speed motor

• SHS 18:1 ratio gears

Brass type 1 cylinder

Polymer cylinder head

- Ported piston head
- Full metal tooth rack piston, 2nd tooth removed

• Steel 8mm bushing on sector and spur gear, 8mm

Ouick change spring guide

Micro switch trigger system

bearing on bevel gear

- Metal selector plate
- 1-piece hop-up
- Function bolt catch/dust cover
- Aluminum 6.03mm inner barrel (280mm)
- Low resistance steel wire
- Mini type Tamyia connectors



- Aluminum Alloy receiver "Matte Black"
- Free floating metal CNC 10" rail
- HDP* 6 position crane stock
- HDP* flip up dual profile front & rear sight
- 9.5" metal outer barrel 14mm CCW "left hand" thread
- Metal Mil-Spec buffer tube
- Metal rear sling mount
- Vented motor plate
- FPS 375-390 w/.20g Valken Precision BB
- *High Density Polymer

- 1 year bulletproof warranty*
- Compatible with 8.4v/9.6v NiMh and 7.4v LiPo
- High end performance
- Includes (1) Valken Tactical 300rd metal hi-cap flash Full metal tooth rack piston, 2nd tooth removed mag, instruction manual, allen key, and (1) unjamming/cleaning rod

- SHS 18:1 ratio gears
- Steel 8mm bushing on sector and spur gear, 8mm
- bearing on bevel gear
- Brass type 1 cylinder
- Polvmer cylinder head
- Even distribution nozzle
- Reinforced tappet plate
- Ported piston head
- Quick change spring guide
- Metal selector plate
- 1-piece hop-up
- Function bolt catch/dust cover
- Steel 6.03mm inner barrel (280mm)
- Low resistance steel wire
- Mini type Tamyia connectors



www.valken.com



- Aluminum Alloy receiver "Matte Black"
- Free floating metal CNC 15" rail
- HDP* 6 position crane stock
- 45° Canted flip up front & rear sight
- 14" metal outer barrel 14mm CCW "left hand" thread
- 2.5" Compensator
- Metal Mil-Spec buffer tube
- Metal rear sling mount
- Vented motor plate
- FPS 380-400 w/.20g Valken Precision BB
- *High Density Polymer

- 1 year bulletproof warranty*
- Compatible with 8.4v/9.6v NiMh and 7.4v LiPo

mag, instruction manual, allen key, and (1) un-

- High end performance

jamming/cleaning rod

- Even distribution nozzle
- Reinforced tappet plate • Includes (1) Valken Tactical 350rd metal hi-cap flash

• SHS 18:1 ratio gears

• Brass type 1 cylinder

Polymer cylinder head

on bevel gear

- Ported piston head
- Full metal tooth rack piston, 2nd tooth removed

• Steel 8mm bushing on sector and spur gear, 8mm bearing

- Quick change spring guide
- Metal selector plate
- 1-piece hop-up
- Function bolt catch/dust cover
- Steel 6.03mm inner barrel (380mm)
- · Low resistance steel wire
- Mini type Tamyia connectors



- Aluminum Alloy receiver "Matte Black"
- Captured body pins
- Free floating metal CNC 7" rail
- HDP* 6 position crane stock
- HDP* flip up dual profile front & rear sight
- 6" metal outer barrel 14mm CCW "left hand" thread
- Metal PDW 6 position collapsible stock with battery compartment
- Metal rear sling mount
- Vented motor plate
- FPS 350-370 w/.20g Valken Precision BB
- *High Density Polymer

- 1 year bulletproof warranty* • Compatible with 8.4v/9.6v NiMh and 7.4v LiPo
- High end performance
- Includes (1) Valken Tactical 350rd metal hi-cap flash mag, instruction manual, allen key, and (1) unjamming/cleaning rod

- SHS 18:1 ratio gears
- Steel 8mm bushing on sector and spur gear, 8mm bearing on bevel gear
- Brass type 2 cylinder
- Polymer cylinder head
- Even distribution nozzle
- Reinforced tappet plate
- Ported piston head
- Full metal tooth rack piston, 2nd tooth removed
- · Quick change spring guide
- Metal selector plate
- 1-piece hop-up
- Function bolt catch/dust cover
- Steel 6.0mm inner barrel (200mm)
- · Low resistance steel wire
- · Mini type Tamyia connectors



// 14

This warranty lasts for twelve months from the date of purchase and applies to the original purchaser, and is not transferable. In the event of a defect under this warranty, we will, at our option, repair or replace the product for the first 90 days provided our inspection indicates that an original defect exists: after the initial 90 days Valken will supply replacement parts to the original purchaser via surface mail at no charge.

Valken reserves the right to replace any product which is no longer available with a product of comparable value and function. If Valken determines the repair is not covered under the warranty guidelines, there could be a charge to you for the cost of the repair and or any required parts. This is a limited warranty and does not cover damages caused by misuse, improper handling or installation or maintenance provided by someone other than Valken Incorporated. Any modifications made to this product may result in this warranty being null and void.

This limited warranty does not include consequential damages, incidental damages, or incidental expenses, including damage to property or any other expense. Valken disclaims any implied warranties. Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on implied

warranties so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state and country to country.





Recommended Air Rig/Air Source Combinations

- SLP (Super Low Pressure)
- Second Stage Regulator
- Valken Build-a-Rig

Airsource

Valken V12 Air Systems with SLP Regulator [Aluminum (3000psi)]
 13cu, 48cu, 62cu, and carbon fibre (4500psi) 68cu, 90cu

Remote

- Valken Remote Hose
- HP (High Pressure)

Second Stage Regulator

- Valken SLP Air Rig 36
- Valken SLP Air Rig 42

Airsource

- Valken Air Systems using a second stage regulator [Aluminum (3000psi)]
- 13cu, 48cu, 62cu and carbon fibre (4500 psi) 68cu, 90cu

Remote

- Valken Remote Hose
- **V12 Engines are not recommended for use with CO2 tanks and rigs**

Recommended Power Supply (Battery)

- Valken Energy V12 7.4v 250mAh LiPo w/ JST Connector
- **V12 Engines are not recommended for use with 11.1v Lipo 3S battery packs**

ONE YEAR WARRANTY

// 16 // 17 VI2 HPA ACCESSORIES **PISTOLS**



*All measurements were with a 6.07 bore barrel shooting a .25g bb @120psi

(SILVER - 115)

Nozzle with .115 bore for FPS ranges for the following barrel lengths:

- 229mm 365fps
- 285mm 386fps
- 300mm 413fps
- 363mm 423fps

(GOLD - 130) #63804

Gold Nozzle with .130 bore for FPS ranges for the following barrel lengths:

- 229mm 391fps
- 285mm 402fps
- 300mm 434fps
- 363mm 444fps

Red Nozzle with .160 bore for FPS ranges for the following barrel lengths:

- 229mm 392fps
- 285mm 413fps
- 300mm 444fps
- 363mm 455fps





















MONSTER SQUAD BBS

#78877

- 2000 ct
- Premium Quality Seamless 6mm .12 gram bb's
- Recommended for all Monster Squad spring guns
- Consistent size and weight for extreme accuracy





• Power Type: Spring • Hop Up: Fixed

// 18 **PISTOLS PISTOLS** // 19



SPECS

VALKEN TACTICAL 6MM - CO2 GAS BLOWBACK
















// 20 AIRSOFT BBS AIRSOFT BBS // 21



(.32G) 2500 - # 93511



2500 - # 93535



(.20G - TRACER)

2500 - # 93337





















(.25G - BIO)

2500 - # 93368 5000 - # 93375







// 22 DISTRACTION DEVICE **PROPELLANT** // 23



AVAILABLE IN 12 PACKS + 1 CORE















ALSO AVAILABLE IN 12 PK (SHELLS ONLY)



PINEAPPLE - #72097 DUMBBELL - #72080












Designed to mimic sound distraction devices (flash bangs) used by military and law enforcement personnel, these reusable sound devices create a loud bang in order to distract your enemy allowing you to get the drop on them. These devices use 12g CO2 cartridges and one time use burst shells to produce such a loud bang. After inserting a CO2 cartridge, simply pull the pin and lift the spoon. This will break the seal on the CO2 cartridge. The empty shell immediately begins to fill with compressed CO2. Once maximum capacity is reached the shell will rupture with an approximate 130db "BANG"! These Thunder V's come in a variety of styles including: pineapple, dumbbell, cylinder B, and cylinder C shell for multitude of applications.







• 1000ml capacity



- Works with all compressed gas airsoft guns
- Approved and authorized to legally ship & drop ship
- Available in 12 can cases

*Disclaimer: Due to safety concerns and the regulations of the U.S. Dept. of Transportations - All Green Gas will be shipped UPS Ground to the Continental 48 states of the US only. Green Gas shipments also come with a flat rate \$27.50 Hazmat fee that allows up to 6 cases per shipment. For higher case orders please contact your Valken Sales Rep for pallet Hazmat pricing and regulations.



Pre-filled CO2 cylinder commonly used in airsoft guns and pistols.

#62746

(Case of 500)

#62531




www.valken.com

// 24 **TANKS TANKS** // 25




• New Valken ZERO-G lightweight design 68 cu carbon fiber cylinder



















• Hardened aluminum, modular bonnet design • Chrome micro gauge and fill nipple

• 5 year hydro test and 15 year life cylinder • 850psi output pressure high flow regulator • Dual burst disks-HP and LP for maximum safety

• Cylinder proudly Made in the USA

• Durable gel coat finish • DOT and TC compliant



// 26 **MAGAZINES** // 27 **MAGAZINES**



































(M4 SERIES)

• M4 Series holds 360 BBs

Fits M4 style Airsoft guns
Wind your mag spring faster with a pull string instead of a wheel








(TRACER FLASHMAG M4)

- 300 round capacity with single wind crank
- High strength polymer construction
 Built in UV LED Tracer BB charging for night or low light play
- Uses 3 button cells (included) for hours of play (replacement batteries item #80917)



- AK Series holds 520 BBs







// 28 MAGAZINE POUCHES MAGAZINE POUCHES // 29



VALKEN TACTICAL MAG POUCH

SINGLE - # 95188 DOUBLE - # 95218 TRIPLE - # 95249



(OLIVE)

SINGLE - # 95195 DOUBLE - # 95225 TRIPLE - # 95256



SINGLE - # 95201 DOUBLE - # 95232 TRIPLE - # 95263



- Attaches to any molle
 Adjustable elastic strap with pull tab
 Stackable front molle webbing
 Constructed from durable 600 denier fabric






















POUCH











// 30 MAGAZINE POUCHES HOLSTERS // 31











- Attaches to any molle
- Holds empty magazines Folds away into a smaller size
- Elastic draw string top





BERETTA

92 BLK PX4 STORM #74152 #79232

JOLI		
1911 - 3"	#75777	
1911 - 4"	#80719	
1911 - 5" BLK	#74169	
1911 - 5" FDE	#80160	
1911 - 6"	#80719	

P-07 BLK P-07 FDE #79249 #80221

FLASHLIGHT HODLER

#79300

LUCK	
L7 DUTY HOLSTER LEVEL III	#792
17,22,31 (FITS GEN 1,2,3,4)	#757
19,23,32 (FITS GEN 1,2,3,4) BLK	#758
19.23.32 (FITS GEN 1.2.3.4) FDE	#802
19,23,32 (GEN 1,2,3,4) WAISTBAND AMBI	#808
19,22,32 LEFT (FITS GEN 1,2,3,4) FDE	#802.
19,23,32 LEFT-HANDED (FITS GEN 1,2,3,4)	#758.
21	#806
26,27,33 (FITS GEN 1,2,3,4)	#758.
34 (FITS GEN 1,2,3,4)	#758.
12 (FITS GEN 1,2,3,4)	#758-
13	#792.

HANDCUFF POUCH

USP 9MM, COMPACT BLK #80238

KELTEC

P380A/T-TCP/R-LCP #80726 380/RUGER 380 #75852

54-ZASTAVA M57-TOKAGYPT 58 #79256

380	#75869
LC-9	#75876
LC9 W/ LASER	#75883
SR9 COMPACT	#79225

S&W	
BODYGUARD 380	#75890
J FRAME 2-1/8"	#79201
M&P 9MM	#75906
M&P COMPACT	#75913
M&P SHIELD	#75920

SHOULDER HARNESS PLATFORM

SIG SAUER

SIG SAUFR	#74121
P238	#79270

SPRINGEIEI D

OI KINGI ILLD	
XD40 TACTICAL	#80689
XD45/9MM/.45	#80696

TAHRHIS

ı	TAURUS	#74114	
ı	24/7	#74107	
1	MILLENIUM	#75944	







// 32 STOCKS TACTICAL GEAR // 33







- LED Charge status light • Input voltage: 100-240V AC • Output voltage: 8.4V-9.6V DC • Charge Current: 600mah
- Trickle Current: 200mah (automatic stop at 5 hours)
- Short circuit and reverse polarity protections
 Automatic stop at full charge by Delta Peak Detection

*WARNING: NOT Compatible with LiPo or LiFe Batteries

(Stock Doc Kit - Stock, Buffer Tube, Charger Stand and Adapter)













- Innovative Tool-Less Installation & Removal (S-Lock)
- Compatible With Mil-Spec Buffer Tubes
- Compatible of storing both Stick & Brick style LiPo batteries in multiple configurations
- High Strength Polymer
- Patent Pending







- Available in V-CAM
- Hybrid of materials:
- Durable ripstop fabric
 Full camo sublimated breathable moisture wicking fabric
- Zippered sleeve pockets on both arms
- Velcro panels for Identification and patches
- Built in shoulder padding for vests, harnesses or plate carriers
- Zippered high collar



(VCAM ONLY)



COMBAT SHIRT











// 36 **VESTS** // 37 **VESTS**



- Laser cut MOLLE attachment points (including shoulder straps)
- Dual adjustable side straps
- Shoulder loops for hydration tube and audio cables
 Fits most 10x12 plates/foam
- 3 colors w/ separate designs









- Lightweight design (weighs only 24 oz or 1.5 lbs without plates)
- Laser cut MOLLE attachment points (including shoulder straps)
- Integrated triple M4 magazine Kangaroo pouch
 Integrated Admin pouch with pistol magazine loops

- Upper front loop ID panel
- Dual adjustable side straps
- Quick adjust hook and loop front straps
- 3 rear panel side strap mounting pointsShoulder loops for hydration tube and audio cables
- Fits most 10x12 plates/foam




// 38 **VESTS VESTS** // 39



- Made from high durable 900D fabric
- Adjustable sides for one size fits most
- Adjustable lightweight shoulder strapsBuilt in triple rifle magazine pouch

- Concealed admin pouch
- Velcro covered MOLLE for identification
- Integrated radio and hydration line shoulder guides
- MOLLE on front panel, and back panel
 Includes soft foam inserts and is compatible with many plates
- Fully adjustable shoulders and waist





- Designed to work with Valken Plate Carriers
- Foam plates included for structure
 Compatible with real rifle side plates







(BLACK - 2PK)

95362

// 40 **VESTS VESTS** // 41





- Includes web belt
- Rear and side laser cut Molle attachment points

- Front and back D-ring mounting points
 Air mesh inner padding
 Left or right drop leg attachment pass throughs
 Simple web belt threading system

























// 42 **VESTS** // 43 EYE PROTECTION



























- Quick release interchangeable temples and an elastic strap
- Indirect vented foam carriage provides maximum dust protection, as well as a sufficient airflow outlet for heat
- The thermal system provides anti-fog protection in the worst weather conditions or extreme-temperature working environments
- Meets ANSI/ISEA Z87.1
- Meets MCEPS Class 1 Military standards • Meets CAN/CSA Z94.3-07 standards
- CE EN166 certified
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.





// 44 **EYE PROTECTION EYE PROTECTION**







- Comes with a clear, yellow, and smoke thermal lenses
- Includes a carry bag with spare lens pocket
- Fully sealed eye protection
- Exceeds ANSI/ISEA Z87.1 High Impact Requirements
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.














- Includes a carry bag with spare lens pocket
- Fully sealed eye protection
- Exceeds ANSI/ISEA Z87.1 High Impact Requirements
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.









// 46 EYE PROTECTION EYE PROTECTION



SIERRA PRESCRIPTION LENS INSERT

- Allows you to use prescription lens in your Valken Sierra goggles
- Prescription lens must be purchased from your eye care professional and are NOT included



- TPU frame features excellent resistance to cold and heat and provides a perfect facial seal
- Special indirect ventilation system located at the top and bottom of frame allow air flow & heat release
- Includes a wide adjustable elastic strap with quick release system for secure fit
- Optional RX-insert frame secures in the inner side of frame
- Exceeds ANSI Z87.1 high impact requirements
- CE EN166 certified
- CAN/CSA Z94.3-07
- MIL-V-43511c ballistic standards
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.









- Anti-fog coating and scratch resistant
- Vented frame and lens
- One piece lens
- Interchangeable temple and headband
- Flexible rubber temples
- Wide headband with quick release buckle
- Wider cushioned nosepiece
- Flame resistant foam padding
- CE EN166 certified and exceeds ANSI Z87.1 high impact requirements
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.

SIERRA PRESCRIPTION LENS INSERT

#75296

- Allows you to use prescription lens in your Valken Axis goggles
- Prescription lens must be purchased from your eye care professional and are NOT included







- One piece polycarbonate lens with anti-fog and scratch resistance
- CE EN166 certified and exceeds ANSI Z87.1 high impact requirements
- Indirect vented low profile and lightweight frame
- Lens provides 99% UV protection
- Adjustable elastic band
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.



// 48 EYE PROTECTION EYE PROTECTION // 49



ECHO VALKEN TACTICAL



- Indirect vented foam carriage provides maximum dust protection with sufficient airflow, providing an outlet for heat to reduce fogging
- Fully adjustable elastic strap with quick release attaches to temples providing a secure fit
- Polycarbonate lenses filter out more than 99.9% of harmful UV light
- Removable inner foam lens clip provides extra comfort and protection from airborne particles. Remove the lens clip and strap to reveal a sporty safety spectacle
- Resilient and durable frame features an extended side shield design that provides full eye protection from impact and flying particles
- Meets ANSI/ISEA Z87.1 high impact requirements Meets CAN/CSA Z94.3-0
- *Disclaimer: For overall safety use this product in combination with proper face, mouth and hearing protection.











- Fully adjustable elastic band.
- Fits over prescription glasses
- Scratch resistant polycarbonate dual pane lens provides optimum fog protection and 99% UVA/B/C protection
- Soft vinyl goggle body conforms to facial contours for secure comfortable fit
- Goggle includes 3 position ratchet adjustable shield which provides full face protection.
- Face shield features 4 ventilation holes provide excellent airflow and easy communication with other players
- Polycarbonate shield conforms to the face offering increased impact protection
- Works with most Tactical Airsoft Helmets
- Meets Z87+, CSA 94.3, EN166 and ASTM F2879 Eye Protective Devices for Airsoft



// 50 EYE PROTECTION EYE PROTECTION // 51






The Valken Profit goggle system has been one of the most popular goggles in the game over the last 7 years. The Profit "SC" has taken all that was good about the original profit and tweaked it to make it even better. The SC stand for "Snap Click" and this feature allows you to easily replace foam well after you have work out your old foam or if you simply just want to swap in a dry layer. The Profit SC improved the ventilation in the mouth grill for more breathability and better communication as well as redesigning the foam over the ear to give the same protection but without blocking any sound.

- Extreme vision, fog resistant thermal lens with scratch resistant coating
- Patented quick change lens system
- "Snap Click" replaceable triple layer face foam system
- Fully adjustable dual head strap
- Comfort fit chin strap for improved fit / safety
- Improved air flow providing superior ventilation
- Bonus microfiber goggle bag and rain vent cover







- Safety Full ASTM and CE certification and 3 strap system
- Lens Thermal polycarbonate with anti-fog and hard coat lens treatment
- Foam Click in replaceable dual layer foam for comfort
- Lens Change Patented QuickChange lens release system
- Vision Ultimate visibility, 160 degrees vertical and 260 degrees horizontal vision
- Mask Robust high density injected polyethylene upper and flexible
- lower
- Visor Sculpted visor for shade and reduced lens scratches
- Strap Ultra-durable adjustable strap and retention system, integrated chin strap and over the head strap







// 52 EYE PROTECTION EYE PROTECTION // 53





- Double-Paned, Thermal Lens system with Hardcoat Lens treatment, fog and scratch resistant polycarbonate construction
- Dual-Layer comfort foam base layer SBR foam for impact absorption, exterior open-cell foam for sweat wicking and comfort
- Extreme protection double layer foam located in both frame and ear
- Premium microstitch strap extra durability, elasticity, and eyecatching embroidered logos
- Extreme Vision ultimate visibility, 160 degrees vertical and 260 degrees horizontal vision
- Full ASTM and CE certification
- Robust high-density injected polyethylene
- Patented QuickChange lens-release system
- Optimized sculpted visor for improved ball deflection and shade
- Optimized sculpted visor for improved ball deflection and shade
 Ultra-durable integrated strap and retention system for quick lens changes



- Dual-layer comfort foam base layer SBR foam for impact absorption, exterior open-cell foam
- for sweat wicking and comfort
- Extreme protection double layer foam located in both frame and ear
- Anti-fog, hardcoat lens treatment, fog and scratch resistant polycarbonate construction
- Extreme Vision ultimate visibility, 160 degrees vertical and 260 degrees horizontal vision
- Full ASTM and CF certification
- Robust high-density injected polyethylene
- Patented QuickChange lens release system
- Optimized sculpted visor for improved ball deflection and shade
- Ultra-durable integrated strap and retention system for quick lens changes







- Closed-cell, water-resistant SBR foam for easy washing and long rental life
- Dual Anti-Fog, Hardcoat Lens treatment, fog and scratch resistant polycarbonate construction
- Extreme Vision ultimate visibility, 160 degrees vertical and 260 degrees horizontal vision
- Full ASTM and CE certification
- Robust high-density injected polyethylene
- Patented QuickChange lens release system
- Optimized sculpted visor for improved ball deflection and shade
- Ultra-durable integrated strap and retention system for quick lens changes







// 54 **HELMETS** MESH MASKS



The Valken ATH Tactical Helmet is a popular helmet design used in active service, Hollywood, and airsoft games. The added protection of the ATH Tactical Helmet allows Airsoft players a bolder style of play. The real life version of this helmet style offers various benefits including protection against low to medium velocity shrapnel and debris, bump

protection for urban, vehicle, armored, and airborne operations. The area around the ear is shaped to allow users the flexibility to use electronic hearing protection/enhancement, communications, or ballistic side up-armor

For Airsoft use, the helmet is made of polymer making it lightweight with a realistic look. The ATH Tactical Helmet provides users protection during indoor/MOUT/CQB environments in addition to guarding against BB hits at medium to extreme close range.

The helmet is also designed to support mounted accessories. Most users commonly mount POV Cameras, lights/illuminators, IFF Markers (identification friend or foe), goggles, face pro, and dead rags. Compatibility with most aftermarket accessories with little or no modification.

Features

- Series: ATH PJ Polymer
- · Color: black, olive drab, dark earth
- Side rails fit a variety of tactical accessories
- Integrated NVG mounting point compatible with most GoPro NVG style mounts (NVG
- mount not included)
- · Lightweight, ridged design Hard polymer construction
- Removable internal padding for size adjustment
- Adjustable chin strap
- Loop velcro panels on right and left for morale patches, nameplates and reflective tabs

















- Low profile mask
- Removable head strap
- Heavy wire mesh
- Soft airmesh sides, velcro fields
- Open cell foam nose
- Stitched elastic mesh edges
- Helmet upgrade kit compatible









// 56 MESH MASKS MESH MASKS MESH MASKS







// 58 HEAD PROTECTION **HEAD PROTECTION** // 59



















HEADBAND (TIGER STRIPE)



- Multiple wearable configurations
- 4 way stretch moisture wicking antibacterial fabric









- Flex-Fit
- 100% Polyster
- Hook and loop front panel for patches









// 60 SHEMAGHS EAR PROTECTION // 61



Traditionally used as head-wear to protect the wearers head and neck from harsh environments, sand, and sun. It can also be used as a scarf to keep warm and offers neck protection in airsoft. Often used by military personnel and can also be worn as a fashion accessory.

- Material 100% Cotton
- 42"x42"



- Ear protection only
- Works with V-Tac 2G wire mesh tactical mask







VALKEN TACTICAL



DISPOSABLE FOAM

- 25 ANSI N.R.R. Certification
- ANSI Certification ANSI S3.19
- AS/NZ Certification S1270:2002
- CE SNR: 30 DB EN352-2





- 25 ANSI N.R.R. Certification
- ANSI Certification ANSI S3.19
- AS/NZ Certification S1270:2002
- CE SNR: 30 DB EN352-2





// 62 EAR PROTECTION **PADDING** // 63

FULL COVER LOW PROFILE

- Low profile design
- Comfortable soft foam ear cups with adjustable head band for personal fit
- Compact fold away design for easy storage
- CE EN352-1 SNR:23DB
- ANSI: NRR:21DB

FULL COVER ELECTRONIC MONO

- Noise reduction rating of 26 decibels
- Protect from harmful nosies and hear normal conversation
- Weak sounds can be amplified
- Attenuate noises above 85 db
- On/Off switch with volume control
- Soft wide foam ear cushions
- Adjustable padded headband
- Takes 2 AA's

FULL COVER ELECTRONIC STEREO

- Soft wide foam ear cushions









- Noise reduction rating of 24 decibels
- Protect from harmful noises and hear conversation
- Weak sounds can be amplified
- Attenuate noises above 85 db
- On/off switch with volume control
- Adjustable padded headband
- Requires 2 AA's (not included)







- Noise reduction rating of 26 decibels
- Comfortable distribution of pressure
- Soft wide foam ear cushions
- Adjustable padded headband
- Noise attenuation effect







- One size fits most
- Hard shell elbows
- Adjustable Velcro straps





VALKEN TACTICAL

- Made of durable nylon and high impact polymer
- Soft cushion pad on inner side
- Extremely light and flexible, provides excellent protection and shock absorption
- Moves with the body movement and player action
- The X type TPU shell, can effectively absorb the impact from different angles
- EVA high-density foam provide excellent shock absorption
- Internal lycra CoolMax keep knee pads dry and provide the comfortable feeling
- Adjustable velcro strap fits for various sizes
- One size fits most



// 64 // 65 **PADDING GLOVES**



- Compression fit, full motion 4 way stretch fabrics
- Eva impact absorption padding with integrated flex points
- Stretch mesh to allow breath ability and fast drying
- Snug fit to keep your pads in place
- Jacquard elastic upper strap





(OLIVE)

S - # 91869 M - # 91852 L - # 91845 XL - # 91876 2XL - # 91838



S - # 91913 M - # 91906 L - # 91890 XL - # 91920 2XL- # 91883



- Stretch mesh fabric for breathability and flexibility
- Soft padded knuckles for increased protection
- Silicone prints for extra grip in contact areas
- Wrist closure with multiple attachment point
- Ultra lightweight design
- Compatible with phantom agility elbow pads





// 66 **GLOVES GLOVES** *// 67*







- Breathable material that is lightweight, yet durable
- Kevlar covered hardshell knuckles
- 4 way stretch articulated joints on the small, ring, middle, and index
- Soft sweat-absorbing pad on the thumb
- Double stitched padding on the palm
- Silicon grip pads on the upper palm and index finger
- Velcro closure adjustment















- Synthetic leather palm for durability and tactility
- Breathable stretch material on the back of the hand
- Crosshatched Silicon grip areas on the palms
- Reinforced trigger finger

// 68 **GLOVES GUN BAGS** *// 69*



- Breathable padded mesh construction on back of the hand
- Flexible plastic armor on the main part of hand
- Full-finger design for full protection/Half-finger design keeps a majority of your hands protected while allowing your fingers to feel the trigger better
- Abrasion resistant padded palm
- Velcro adjustable elastic wrist closure



(FULL FINGER - TAN)

S - #72622 M - #72615 L - #72608 XL - #72639



XL/2XL - #48689

(HALF FINGER - TAN)

M/L - #48702 XL/2XL - #48719



VALKEN TACTICAL PLASTIC BACK GLOVES















- Padded shoulder strap
- Molle compatible
- Folding size adjustment
- Padded shotgun sleeve
- Shotgun retention strap



- Extra-large dual-zipper panel
- 2 padded side pockets for quick
- Adjustable padded shoulder strap
- Heavy duty grab handle
- 5 adjustable padded dividers
- Dimensions: 15" x 12" x 10"
- Internal main pocket dimensions: 13" x 9.5" x 7"







// 70 **GUN BAGS GUN BAGS** // 71





This Gun Bag the perfect size for holding your full-length rifles and most sub machine guns. The interior of the bag is padded and features hook & loop straps to help keep your gun secure. The exterior of the bag features two carry handles, and five extra pouches with hook & loop flap closures for carrying extra bb's, grenades, magazines, or almost any other accessory that you may need on the field.

- Two modular internal straps for firearm retention
- 5 external pockets for magazines and accessories
- Carrying handle





- Dimensions approx. 46"/42"/36" x 12" x 4"
- Accommodates up to 4 guns: 2 rifles and 2 handguns
- Two modular internal straps for firearm retention
- 5 external pockets for magazines and accessories
- Carrying handle and backpack straps
- Heavy duty zippers
- Padded divider
- External MOLLE straps
- Not suggested for guns over 42" long





// 72 **ENERGY ENERGY**



- High performance lithium polymer cells
- 20C continuous discharge rate
- Charge / Discharge Mini Tamiya connector and balancing connector
- No memory effect
- Ideal for Airsoft application
















• Place LipoSack on non-flammable surface.

• Charge battery using proper charging practices.

• Route charge leads through vent at the top seam of the LipoSack. • Close top flap of LipoSack and press hook and loop closure fully closed.



LIPO GUARD




// 73


// 74 // 75 **ENERGY ENERGY**



- Made of high quality matched NiMH size cells.
- High power delivery.
- · No memory effect.
- Mini Tamiya connector attached for airsoft applications.
- Chemistry: Nickel Metal Hydride
- Bright easy to read label displays the voltage and mAh











// 76 **OPTICS OPTICS** // 77



- Strong, lightweight fiber reinforced molded polymer housing
- Highly visible and bright CQB (circle plus center dot) reticle
- 5 level intensity settings.
- Integral Picatinny mount
- Turret click value: 1/1MOA FOV@100yards: 8.43 ft
- Parallex setting: Parallexfree@30yards
- Center height: 25 mm (BLACK)
- Overall length: 3.10"
- · Battery: CR1620







- Strong, lightweight fiber reinforced molded polymer housing
- Highly visible and bright CQB (circle plus center dot) reticle
- 5 level intensity settings.
- Integral Picatinny mount
- Turret click value: 1/1MOA FOV@100yards: 16.24ft
- Parallex setting: Parallexfree@30yards
- Center height: 28mm
- Overall length: 5.63"
- · Battery: CR1620



OPTICS



- Tactical electro sight with a more visible CQB dot
- 5-level adjustment for light intensity
- Standard 30mm scope rings or mounts
- · Compact sight featuring quick target acquisition
- Ideal for moving targets or for COB task forces
- Unlimited eye relief
- Overall length: 6"
- Includes: Flip open lens covers and SR3002L weaver ring set









- Four reticles that can be switched instantly.
- Illuminated red and green reticles
- Works with any Picatinny/Weaver rails or bases.
- Standard 30mm main tube
- Compact quick target acquisition sight
- Eye relief: Unlimited Sight overall length: 6"
- Includes flip open lens covers, and rings.
- Center height of rings: 22mm







- 35mm objective lens
- Rotary illumination control adjusts dot intensity and light color with a push button power switch that keeps the settings
- Battery AA Alkaline battery
- Integral Picatinny mount
- 38mm center height
- Includes flip open lens covers

- Upgrades the sights instantly into a sighting system for longer range targeting and sniping
- 3x magnifier uses 30mm swivel ring mount which can rotate to stay on and off line of sight quickly
- Magnifier is adjustable for windage and elevation to better alignment with your sight









// 78 **OPTICS OPTICS** // 79



- Weaponlight w/ Laser
- Compact flashlight with built-in fully adjustable red laser sight
- Push button switch and cord switch
- Quick attachment onto Picatinny accessory rails on pistols and rifles.
- 200 lumen high output LED
- Operates on 2x CR123 Lithium cells



LED FLASHLIGHT

- A hand held compact tactical flashlight built with the latest lighting technology.
- Super bright 180lumen beam.
- The flashlight has a push button ON/Off switch on tail
- Also the light has strobe mode built in.
- Main tube of the light has straight 1inch diameter
- Optional gun mounting accessories are available which include offset flashlight mount, remote cord switch and rip holder.
- The flashlight runs on 3x AAA Alkaline batteries.
- Overall length: 4 1/2inch.
- Aluminum alloy anodized in matte black finish








- Affordable wide view electronic reflex red dot sight
- Fits onto 3/8" dovetail rails or groove receivers, or Weaver rails with included Weaver side plate installed
- Fully adjustable for windage and elevation
- On/Off switch
- Eye relief: Unlimited
- Dot size: 5 MOA
- Sight overall length: 4 1/2"
- Center height(line of sight): approximately 35mm
- Battery used: CR2032 button cell (included)
- Accessories included: Weaver rail side plates









- Dot size: 6moa
- Built in light sensor sets dot intensity automatically and can be bypassed if necessary
- Uses one cost effective AAA size alkaline battery
- Integral bottom clamp mounts onto Weaver and Picatinny rails with OD cam lever







W/ MOUNT MIL-DOT RETICLE

- Etched glass CQB reticle: 20moa circle plus 3moa dot
- Finger adjustable elevation and windage screws
- Compact and lightweight: 9 1/2inch full length

SCOPE 1-4X20

- Two color RED/GREEN illumination when better contrast is needed under low light conditions.
- High quality lens give crystal clear view picture of targets
- 1 inch one-piece main body tube
- Waterproof, fogproof, shockproof: Nitrogen-filled and O-ring sealed
- Scope comes packaged with one piece offset scope mount: mount center height 30mm;
- Offset length: 37mm
- Battery CR2032





- A tactical red dot sight built with 35mm objective
- Rotary illumination control adjusts dot intensity
- The sight uses a cost effective and easy to find AA Alkaline battery
- Integral Picatinny mount
- 38mm center height
- Includes flip open lens covers







// 80 **OPTICS OPTICS** // 81



REFLEX IX33 R/G/B

RED DOT W/ WEAVER OR IX22 R/G/B/ DUAL RED DOT W/ WEAVER OR

- 1 x 33 mm objective
- 4 Different Reticle Patterns with adjustable Red/ Green Illumination
- · Adjustable windage and elevation
- Shock proof and water resistant Real Steel Certified
- Standard weaver mount base rail
- CR2032 battery
- · Battery, lens cover, instruction sheet and installation tool

- 1x22mm
- Multi-coated optics
- Adjustable intensity Red/Green/Blue Illumination
- Fog and Dust Proof
- Shock proof Real Steel Certified
- Fast target acquisition eyepiece
- Infinite eve relief design
- Includes Mount, Batteries, Lens covers, cleaning cloth, instruction sheet and installation tool



- Use one CR2032 Battery

- 1x22mm
- Multi-coated optics
- Adjustable intensity Red/Green/Blue Illumination
- Fog and Dust Proof
- Shock proof Real Steel Certified
- Precision windage and elevation adjustments
- Interchangeable high profile quick release rail mount and low profile mount
- Fits standard 20mm Picatinny or Weaver rails
- Uses one CR2032 Battery
- Includes Mount, Batteries, Lens covers, cleaning cloth, instruction sheet and installation tool







- 1x30mm
- Multi-coated optics
- Adjustable intensity Red/Green Illumination
- Fog and Dust Proof
- Shock proof Real Steel Certified
- Infinite eye relief design
- Cantilever Weaver Mount
- Use AG13/LR44 Battery
- Includes Mount, Batteries, Lens covers, cleaning cloth, instruction sheet and installation tool





- 1x30mm
- Multi-coated scratch resistant optics
- Adjustable intensity Tri-Dot Illumination
- Nitrogen Purged Fog and Dust Proof Design
- Shock proof Real Steel Certified
- Unlimited eye relief design
- PEPR Style Cantilever Weaver Mount
- Use CR2032 Battery
- Includes Mount, Batteries, Lens covers, cleaning cloth instruction sheet and installation tool



- Field of View (@ 100YDS): 57
- Black anodized aluminum body;
- Red/green dot
- Unlimited eye relief and field of view
- 20mm Weaver Rail
- Objective Diameter: 1.18"/30mm
- Exit Pupil: 28mm
- Tube Diameter: 38mm









- Solid all metal construction.
- High efficiency 2mw 650 nm wavelength laser diode
- Compact design, easy to attach to existing sights and optics
- Windage and elevation adjustable
- Dual Mounts included for 20mm Picatinny / Weaver or 11mm Dovetail rails
- Uses 3 x LR44 Batteries
- Mount, Batteries, instruction sheet and installation tool



W/ WEAVER GREEN LASER

- Solid all metal construction.
- High efficiency 5mw 532 nm wavelength laser diode
- Compact design, easy to attach to existing sights and optics
- Windage and elevation adjustable
- Dual Mounts included for 20mm Picatinny / Weaver or 11mm Dovetail rails
- Uses 14250 Battery
- Mount, Batteries, instruction sheet and installation tool



W/ DUAL WEAVER LONG **RED LASER PISTOL**

- Solid all metal construction fits most pistols and AR models
- High efficiency 2mw 650 nm wavelength laser diode
- Compact design, easy to attach to existing sights and optics
- · Windage and elevation adjustable
- Quick action rear on/off switch and remote switch options
- Uses 2 x LR44 Batteries
- Batteries, instruction sheet and installation tool





- Solid all metal construction fits most pistols and optics
- High efficiency 1mw 650 nm wavelength laser diode
- Compact design, easy to attach to existing sights
 and ontics
- Windage and elevation adjustable
- Quick action rear on/off switch
- Uses 3 x LR41 Batteries
- Batteries, instruction sheet and installation tool



- Aluminum construction 150 Lumen LED Flashlight
- Impact and water resistant design
- Five operating modes 100%, 50%, 25%, Strobe & SOS
- Picitinny mount
- Rechargeable 186500 battery and charger included
- User selectable rear control cap or coiled remote cable operation



- Protects scope/red dot lens
- 4mm thick acrylic lens shield
- Fits with Picatinny 1913 rails
- Spare clear protector included





#81433







// 84 **OPTICS** // 85 **ATTACHMENTS**



VALKEN OPTICS LITHIUM **BATTERIES**



















REAR - BLACK/NEON

#79430



FRONT - BLACK/NEON

#79423









Compatible Batteries:

8.4v NiMH

- 1600mAh Nunchuck #48054
- 1600mAh Flat Brick (Mini) #48061

9.6v NiMH

- 1600mAh Nunchuck #48108
- 2000mAh Nunchuck/Crane #48139
- 1600mAh Flat Brick (Mini) #48115

7.4v LiPo

- 1000mAh Stick #62951
- 1300mAh PEQ-15 #62968
- 1600mAh Mini Brick #48221

11.1v LiPo

- 1000mAh Stick #62920
- 1600mAh Mini Brick #48214
- 1600mAh Crane #48207







RH (CW) - #72363 LH (CCW) - #70918
























MOUNTABLE RAIL KIT





VALKEN TACTICAL FOLDING FOREGRIP





















// 87

SLINGS **ACCESSORIES** // 89

// 88

VALKEN TACTICAL KILO SINGLE POINT SLING











- Measures Muzzle Velocity from 30 m/s \sim 400+ m/s (90 ft/s \sim 1200+ ft/s).
- Separate display unit and chrono unit
- Display unit is capable attach to tactical rail
- Display use Dot MATRIX LCD with backlight
- Memory Slots for various ammo weight and caliber
- Shot memory log velocity and ROF (Rate of Fire)
- Calculate MAX, MIN, E-S (Extreme Spread), AVG, S-D (Standard Deviation) by shot memory and Energy Per-Unit Area Calculation
- Extra-large tube diameter (38mm)
- Use AA and AAA battery
- Chrono unit support external power (Micro USB)
- Tripod Ready mounting holes (Screw for standard camera / camcorder tripods)




The hottest Xcortech Chronograph for airsoft!

- Velocity range: 30.00 ~ 400.00 m/s
- ROF range: 100 ~ 5,000 rpm Support Camera Tripod mount
- Tube diameter 24mm
- 14 high density IR sensors
- Battery: 2 x AA batteries
- External power by micro-USB cable
- Dimension: L x W x H = 113 x 97 x 55 (mm)
- Weight: 205g



// 90 **ACCESSORIES ACCESSORIES** // 91



WALKEN TACTICAL COMPACT KILO BACKPACK

- Side and vertical compression straps
- Air mesh padded adjustable shoulder straps
- Molle attachment compatible
- 2 small organizational pockets
- 2 large organizational pockets

















FOR BATTLE MACHINE

DEALER PARTS TOOLBOX



www.vathen.com



#79874








92 GOTCHA GOTCHA W 93






- Low impact serviceable .50 caliber shotgun
- Maximum 140fps low impact pump style marker
- Serviceable metal internals
- Fully enclosed internals
- Durable aluminum barrel
- Traditional clamping feedneck, fits Valken .50 cal loader
- Picatinny sight rail

















#